













Coffral Aerial Platforms

The 3rd leg of our vision to position Coffral as one-stop access solution provider for working at height is the Aerial Platforms. To keep a high-level standard in line with our other product lines, we carry JLG only as our preferred brand 'The Mercedes of Aerial Platforms.

Coffral Aerial Platforms Overview

Types of Lifting Equipment:

Lifting of People, also known as Manlifts, which include: **Boom Lifts, Scissor Lifts, and Vertical Mast Lifts.**

Boom Lifts



Ideal for reaching difficult workspaces, areas that require maximum horizontal and vertical reach.

Scissor Lifts



Ideal for indoor projects, more so if the project requires up-and-down mobility. Lightweight and easy-to-move equipment that allows higher load capacity and platform extension.

Vertical Mast Lifts



Ideal for operating in narrow aisles and congested environments. These easy-to-use lift platforms offer a combination of high lift, reach, and maneuverability that makes them a safe solution for tough overhead maintenance applications.



Boom Lifts

- JLG 1350SJP
- JLG 24RS






Telescopic Boom Lift JLG 1350SJP

Note:

Diesel Powered Boom Lifts can only be used outdoors. *All-terrain tires.*

PERFORMANCE	
Max. Reachable Height	43.30m
Horizontal Outreach	24.38m
Platform Capacity	230kg / 2 Persons
Platform Rotator (Hydraulic)	180°
Swing	360°
Jib Length	2.44m
Jib - Range of Articulation	130° Vertical
Jib Plus	180° Horizontal
Machine Weight	20,400kg
Max. Ground Bearing Pressure	7.52kg / cm²
Power Source	Diesel Engine






Articulating Boom Lift JLG 24RS

Note:

Diesel Powered Boom Lifts can only be used outdoors. *All-terrain tires.*

PERFORMANCE	
Max. Reachable Height	26.50m
Horizontal Outreach	17.80m
Platform Capacity	230kg / 2 Persons
Platform Rotator (Hydraulic)	145°
Swing	355°
Jib - Overall Length	11.86m
Machine Weight	10,568kg
Max. Ground Bearing Pressure	5.83kg / cm²
Power Source	Diesel Engine





Scissor Lifts

- JLG 4069LE
- JLG 4045R
- JLG 1932R
- JLG 1930ES





Scissor Lift JLG 4069LE


Note:


Can be used indoor and outdoor. When used outdoors, Reachable Height and Lifting Capacity are limited.

Rough terrain tires.

PERFORMANCE

Max. Reachable Height	14.19m
Platform Capacity (unrestricted)	360kg / 3 Persons
Platform Size	1.65 x 2.92m
Platform Extension Length	0.91m
Platform Extension Capacity	120kg /1 Person
Machine Width	1.75m
Machine Length	3.15m
Machine Height	2.83m
Machine Weight	5,300 kg
Max. Ground Bearing Pressure	4.30kg / cm²
Power Source	Diesel Engine





Electric Scissor Lift JLG 4045R


Note:

Can be used indoor and outdoor. When used outdoors, Reachable Height and Lifting Capacity are limited.

Non-marking tires for flat tile or concrete flooring only.

PERFORMANCE

Max. Reachable Height	14.00m
Platform Capacity (unrestricted)	350kg/3 Persons
Platform Size	1.1 x 2.4m
Platform Extension Length	0.91m
Platform Extension Capacity	250kg /1 Person
Machine Width	1.14m
Machine Length	2.69m
Machine Height	2.54m
Machine Weight	3175.15kg
Max. Ground Bearing Pressure	9.59kg / cm²
Power Source	Electric battery





Electric Scissor Lift JLG 1932R


Note:

Can be used indoor and outdoor. When used outdoors, Reachable Height and Lifting Capacity are limited.

Non-marking tires for flat tile or concrete flooring only.

PERFORMANCE

Max. Reachable Height	7.80m
Platform Capacity (unrestricted)	230kg / 2 Persons
Platform Size	1.12 x 2.50m
Platform Extension Length	0.91m
Platform Extension Capacity	113kg /1 Person
Machine Width	0.81m
Machine Length	1.74m
Machine Height	1.99m
Machine Weight	1,193kg
Max. Ground Bearing Pressure	7.66kg / cm²
Power Source	Electric battery





Electric Scissor Lift JLG 1930ES


Note:

Can be used indoor and outdoor. When used outdoors, Reachable Height and Lifting Capacity are limited.

Non-marking tires for flat tile or concrete flooring only.

PERFORMANCE

Max. Reachable Height	7.72m
Platform Capacity (unrestricted)	230kg / 2 Persons
Platform Size	0.76 x 1.87m
Platform Extension Length	0.90m
Platform Extension Capacity	120kg /1 Person
Machine Width	0.76m
Machine Length	1.87m
Machine Height	2.02m
Machine Weight	1,565kg
Max. Ground Bearing Pressure	8.73kg / cm²
Power Source	Electric battery





Vertical Mast Lifts

- JLG Toucan T10E
- JLG 20MVL
- JLG 15MVL





Vertical Mast Lift


JLG Toucan TIOE

Note:

Electric Powered Vertical Mast Lifts can be used indoor and outdoor.

Non-marking tires for flat tile or concrete flooring only.

PERFORMANCE	
Max. Reachable Height	10.10m
Maximum Lifting Capacity	200kg/1 Person
Platform Size	0.70 x 0.90m
Stowed Height	1.99m
Stowed Width	0.99m
Stowed Length (Overall)	2.82m
Machine Weight	2,980kg
Power Source	Electric battery





Vertical Mast Lift JLG 20MVL


Note:

Electric Powered Vertical Mast Lifts can be used indoor and outdoor.

Non-marking tires for flat tile or concrete flooring only.

P	ER	RFC	PI	MA	NC	Έ

Max. Reachable Height	7.98m
Maximum Lifting Capacity	159kg/1 Person
Platform Size	0.71 x 0.66m
Stowed Height	1.98m
Stowed Width	0.895m
Stowed Length	1.36m
Machine Weight	1,104kg
Power Source	Electric Drivable






Vertical Mast Lift JLG 15MVL

Note:

Electric Powered Vertical Mast Lifts can be used indoor and outdoor.

Non-marking tires for flat tile or concrete flooring only.

PERFORMANCE	
Max. Reachable Height	6.71m
Maximum Lifting Capacity	230kg / 1 Person
Platform Size	0.71 x 1.22m
Stowed Height	1.98m
Stowed Width	0.75m
Stowed Length	1.36m
Machine Weight	1,110kg
Power Source	Electric Drivable









The Upperground Chatuchak

2022 | 😯 Chatuchak, Bangkok, Thailand

i

Welding and façade Maintenance.








New Manila Int'l Airport

steel structure for warehouse construction.

Giving access to the



2022-2023 | Sulakan, Bulacan, Luzon Region, Philippines







LBC Warehouse

2022 | 🦞 San Dionisio, Parañaque, Philippines

Giving access to the steel structure for warehouse construction.









Ship Blasting in Batangas

2022 | 🦞 Keppel Batangas Shipyard



Giving access using man lifts to sandblast and repaint the ship's exterior and interior.

















Solar Panels Installation

Giving access to the roof for solar panels installation.









Parklinks Bridge Construction

2021 - 2022 | • Pasig, Metro Manila



Bridge cable installation & painting at 43m height.







Air Asia and Philippines Airlines Repair

Aircraft maintenance repair and overhaul (MRO).

















St. Luke's Medical Center Maintenance

Façade repair

St. Luke's Medical Center, BGC, Metro Manila









New Manila Int'l Airport

Giving access to the steel structure for warehouse construction.



2022-2023 | 🦞 Bulakan, Bulacan, Luzon Region, Philippines









Clark Int'l Airport New Passenger Terminal

Building annual cleaning



2021 | • Clark International Airport, Pampanga







Malolos-Clark Railway (MCRP CPN-03)

2021 | Pampanga, Angeles



Painting and welding structural steel.








Coffral Head Office Repair and Cleaning



Giving access to the ceiling for general cleaning, repair, and light bull changes.





Coffral Certified Operator included



Coffral Mechanic Expert a.k.a Doctor JLG



Coffral Lowbed Truck Transportation

Thank you!

COFFRAL ASIA

COFFRAL PHILIPPINES



- www.coffral.ph

QUnit 2701 Summit One Tower, 530 Shaw Blvd., Mandaluyong City, 1550, Philippines

COFFRAL THAILAND



- www.coffral.co.th
- inquiry@coffral.co.th



_ FOLLOW/ LIS

- **coffralasia**
- in coffralasia
- **f** CoffralAsia





AERIAL PLATFORMS

ENGINEERING

TRAINING

INSTALLATION

SUPERVISION

